



General Data

Article No.	32517062
Code	RSI 4000W/SE G38
Product EAN	4008597170621
Product status	● Active

Electric Parameters

Lamp power	4,180.0 W
Lamp voltage	195 V

Light Application Parameters

Luminous flux	410000 lm
Colour temperature	6300 K
Color rendering index nominal	95

Service Life

Service life	750 h
B5 - Service life 5% failures	250 h

Specification

Diameter	75 mm
Total length max.	250 mm
Burning position	Random
Mercury content	320 mg

Daylight lamp
RSI 4000W/SE G38

Radium

Base

G38

Notes on Operation

Burning position

Random

Notes

Hot-startable daylight lamp for sun simulation, stage or film, single-ended

Please, refer to www.radium.de/recycling for notes on disposal of burned-out lamps as well as lamp breakage.

The "lifespan L70" described for LED lamps indicates the number of hours when the luminous flux has decreased to 70% of its initial value.

The optimal field 'info about service life' contains the frame conditions according to standards based on which the specific service life has been determined. So, for example, "12B50, 50Hz" means that the mean service life (B50) has been determined with a 12h switching cycle at mains (frequency 50Hz), "3B50, HF" is based on a 3h switching cycle at electronic control gear (high frequency).

General notes

The technical design data in accordance with DIN and IEC. The producer does not take any responsibility for damage to persons or property in case of unsuitable operation or handling of the product. Operating data and dimensions are valid within the usual tolerances. Related lamp types (different bases, mains voltages) may be available on request. Sale and delivery are effected in accordance with the Radium Terms of Delivery and Payment valid on the day of conclusion of contract. Packing units offer economical advantages to the purchase and logistic department. Please match your quantity volume accordingly. For orders of a minimum quantity (clefts) with a lamp model the amount lower than the volume of each packaging unit, we will invoice 10 % additional charge per lamp type. Technical changes and terms of delivery are reserved. Manipulation of any kind to packaging or product is not permissible as this will violate Radium brand rights. Furthermore, technical properties of the product can change to its disadvantage or even destruction. Therefore, Radium cannot be responsible for consequential damages.

® = Registered trademark

Subject to change without notice. Errors and omissions excepted.

All technical data without guarantee.